



HMIShelf AMR

Increase efficiency and productivity with autonomous mobile robot (AMR) solutions designed for flexibility and safety from Zebra and Fetch



HMIShelf

All-in-One Transport and Operator Interface

Key Benefits

- Quickest deployment solution
- Set up and use in hours, redeploy easily
- Ideal for small and medium payloads
- Configurable shelving for various bin, tote and package sizes
- Reduce associate travel time and increase productivity in low dwell time and high volume environments
- Simple operation with built-in, easily configured touchscreen



Transport for Packages, Totes and Bins

HMIShelf robots set the standard for commercial-ready AMRs transporting material in busy warehouse and manufacturing environments. The most advanced collaborative AMRs, like the Fetch HMIShelf robots, have the ability to plan optimal point-to-point travel while navigating around obstacles. HMIShelf robots have numerous additional enhancements to safely avoid moving obstacles such as forklifts and carts. Integrated touchscreens and adjustable shelving make HMIShelf robots an easy and flexible way to offload material transport tasks.


Specifications	HMIShelf
Weight	198.5 lb (90 kg)
Height	59.7 in (151.6 cm)
Base Footprint	22.6 in (57.3 cm) diameter
Shelf Width	20.5 in (52.2 cm)
Shelf Depth	16.5 in (42.1 cm)
Maximum Payload Weight	172 lb (78 kg)
Maximum Payload Height	30.0 in (76.3 cm)
Maximum Speed	3.4 mph (1.5 m/s)
Turning Radius	Turn in place
Nominal Continuous Runtime	~9 hrs
Environment	Indoor
Charging	Autonomous docking
Charge Time	3 hrs to 90%
2D Laser Sensor	82 ft (25 m), 220 degrees (x1)
3D Camera	Yes (x2)



Key Workflows



Order
Picking



Assembly
and QA




ASRS
Induction



Rush
Orders



Returns
Processing



WARNING: This product uses components which emit invisible laser radiation. Incorrect use or observing the safety laser scanner through optical instruments (such as magnifying glasses, lenses, telescopes) may be hazardous for the eyes.



Fetch Robotics AMRs carry a CE mark and meet regulatory requirements for product safety.

ANSI/RIA R15.08

Fetch Robotics AMRs conform with R15.08 safety standards published by the RIA (Robotics Industry Association)



CSSI Technologies
570-524-4424
www.CSSI.com



NA and Corporate Headquarters
+1 800 423 0442
inquiry4@zebra.com

Asia-Pacific Headquarters
+65 6858 0722
contact.apac@zebra.com

EMEA Headquarters
zebra.com/locations
contact.emea@zebra.com

Latin America Headquarters
+1 847 955 9494
la.contactme@zebra.com

ZEBRA and the stylized Zebra head are trademarks of Zebra Technologies Corp., registered in many jurisdictions worldwide. Wi-Fi is a trademark of Wi-Fi Alliance. All other trademarks are the property of their respective owners. © 2021 Zebra Technologies Corp. and/or its affiliates. All rights reserved.